



REC'D 0 7 DEC 1998
WIPO PCT

PCTIEPG8 | 5901 EPO-DG 1 07 10. 1998 EP98/5901

The Patent Office
Concept House
Cardiff Road
Newport
South Wales
NP9 1RH

09/509147

I, the undersigned, being an officer duly authorised in accordance with Section 74(1) and (4) of the Deregulation & Contracting Out Act 1994, to sign and issue certificates on behalf of the Comptroller-General, hereby certify that annexed hereto is a true copy of the documents as originally filed in connection with the patent application identified therein.

In accordance with the Patents (Companies Re-registration) Rules 1982, if a company named in this certificate and any accompanying documents has re-registered under the Companies Act 1980 with the same name as that with which it was registered immediately before re-registration save for the substitution as, or inclusion as, the last part of the name of the words "public limited company" or their equivalents in Welsh, references to the name of the company in this certificate and any accompanying documents shall be treated as references to the name with which it is so re-registered.

In accordance with the rules, the words "public limited company" may be replaced by p.l.c., plc, P.L.C. or PLC.

Re-registration under the Companies Act does not constitute a new legal entity but merely subjects the company to certain additional company law rules.

# PRIORITY DOCUMENT

SUBMITTED OR TRANSMITTED IN COMPLIANCE WITH RULE 17.1(a) OR (b)


Signed

Dated

17.9.98

BEST AVAILABLE COPY

THIS PAGE BLANK (USPTO)



Request for grant of a patent
(See the notes on the back of this form. You can also get an explanatory leaflet from the Patent Office to help you fill in

The Patent Office

Cardiff Road Newport Gwent NP9 1RH

1.	Your Reference	SAL/KG/PG3361	
2.	Patent application number (The Patent office will fill in this part)		9719774.3
		0 CED 1007	• • •
3.	Full name, address and postcode of the or of	GLAXO GROUP LIMITED	
	each applicant (underline all surnames)	GLAXO WELLCOME HOU	SE
	•	BERKELEY AVENUE	
		GREENFORD	
	•	MIDDLESEX	
		UB6 ONN	
	Potents ADD number (form leaves it)	GB	_
	Patents ADP number (if you know it)		473281005
	If the applicant is a corporate body, give the		7 (55)
	country/state of its corporation	GB	
	country/state of its corporation	GB	
_	Title of the invention	DEVICE	
	Name of your agent (if you know one)	STEPHANIE ANNE LEARC	YD (SEE CONTINUATION SHEET)
	"Address for service" in the United Kingdom	GLAXO WELLCOME PLC	
	to which all correspondence should be sent	GLAXO WELLCOME FLC GLAXO WELLCOME HOUSE, BERKELEY AVENUE	
	(including the postcode)	GREENEORD MIDDLESEX	
		UB6 ONN, GB	69317030
	•	,	
	Patents ADP number (if you know it)		
	If you are declaring priority from one or	Country Priority application	n number Date of Filing
	more earlier patent applications, give the	(if you know	v it) (day / month / year)
	country and date of filing of the or of each		
	of these earlier applications and (if you know it)		
	the or each application number		
	If this application is divided on athomysics	Number of earlier applica	tion Date of filing
•	If this application is divided or otherwise derived from an earlier UK application, give	rounder or earner applica	(day / month / year)
	the number and the filing date of the earlier		
	application		
	wpp.i.wwiton		
	Is a statement of inventorship and of right to	YES	
	grant a patent required in support of this		
	request? (Answer yes if:		
	a) any applicant named in part 3 is not an inventor, or		
	b) there is an inventor who is not named as an	** T A	VAILABLE COM
	applicant, or		VAILABLE COPY
	TF		
	c) any named applicant is a corporate body.		

THE PAGE BLANK (USPTO)

### Patents Form 1/77

Enter the number of sheets for any of the following items you are filing with this form. Do not count copies of the same document

Continuation sheets of this form

1

Description

4

Claim(s)

pr

Abstract

Drawing(s)

2+2

10. If you are also filing any of the follo

state how many against each item

**Priority Documents** 

Translations of priority documents

Statement of inventorship and right to grant of a patent (Patents Form 7/77)

Request for preliminary examination and search (Patent Form 9/77)

Request for substantive examination (Patent Form 10/77)

Any other documents (please specify)

11.

I/We request the grant of a patent on the basis of this application

Deples Lean and

Signature STEPHANIE ANNE LEAROYD

AGENT FOR THE APPLICANTS

17 September, 1997

Name and daytime telephone number of person to contact in the United Kingdom TINA CARTY

0181-966 8685

#### Warning

After an application for a patent has been filed, the Comptroller of the Patent Office will consider whether publication of communication of the invention should be prohibited or restricted under Section 22 of the Patents Act 1977. You will be informed if it is necessary to prohibit or restrict your invention in this way. Furthermore, if you live in the United Kingdom, Section 23 of the patent Act 1977 stops you from applying for a patent abroad without first getting written permission form the Patent Office unless an application has been filed at least 6 weeks beforehand in the United Kingdom for a patent for the same invention and either no direction prohibiting publication or communication has been given, or any such direction has been received

- a) Notes
  - If you need help to fill in this form or you have any questions, please contact the Patent Office on 0645 500505.
- b) Write your answers in capital letters using black ink or you may type them.
- c) If there is not enough space for all the relevant details on any part of this form, please continue on a separate sheet of paper and write "see continuation sheet" in the relevant part(s). Any continuation sheet should be attached to this form If you have answered "Yes" Patents Form 7/77 will need to be filed.
- d) Once you have filled in the form you must remember to sign and date it.
- e) For details of the fee and ways to pay please contact the Patent Office.

## Additional Agents (See Page 1 No. 5)

NAME(S)

Alan HESKETH Laurence David JENKINS Michael ATKINSON Karen CRAWLEY William Michael DADSON Peter I. DOLTON Hugh B. DAWSON Wendy Anne FILLER Ruth Elizabeth HACKETT ·Catriona McLeod HAMMER Audrey G. C. HAMMETT Graham M.H. LANE Helen Kaye QUILLIN Michael A. REED Marion REES Michael John STOTT Andrew J. TEUTEN Rachel M. THORNLEY Janis Florence VOLCKMAN

**ADDRESS** 

Glaxo Wellcome plc Glaxo Wellcome House Berkeley Avenue Greenford Middlesex UB6 ONN Great Britain THIS PAGE BLANK (USPTO)

. :

10

15

20

25

30

#### DEVICE

The present invention relates to a device capable of accommodating a plurality of reaction vessels being specifically adapted so that when placed in a magnetic field, such as that generated by a laboratory magnetic stirrer, any reaction vessel accommodated by the device is in an effective position for stirring with respect to the magnetic field.

In the field of organic chemistry it is often desirable to perform a variety of related chemical reactions simultaneously under similar reacting conditions. The technique for performing such reactions simultaneously is known as parallel synthesis.

One of the problems associated with carrying out parallel syntheses in the laboratory is that the majority of existing laboratory magnetic stirrers are only designed to accommodate and efficiently stir the contents of one reaction vessel at any one time. Accordingly, such equipment is not suitable for use in parallel synthesis.

Laboratory magnetic stirrers specifically designed for use in parallel synthesis are known. However, such apparatus, conventionally known as parallel reaction stations are only available as complete units incorporating a source of magnetic flux together with a frame for accommodating reaction vessels. These units are very costly in comparison to laboratory magnetic stirrers. The present device is advantageous over known devices in that it allows a conventional magnetic stirrer to be used for parallel synthesis and hence provides significant economic advantages compared with parallel reaction stations.

A means has now been found which permits the use of existing laboratory magnetic stirrers in parallel syntheses by providing a device which is capable of securely accommodating a plurality of reaction vessels said device being specifically adapted so that when correctly located within a magnetic field generated by a laboratory magnetic stirrer each and every reaction vessel is effectively positioned for stirring with respect to the magnetic field. Thereby, any

reaction vessel, placed in the device and equipped with a magnetic stir bar, is subject to smooth and efficient agitation.

Thus, the present invention provides a device comprising an adapter block, the adapter block containing a plurality of sockets each designed to securely accommodate a reaction vessel, wherein when the adapter block is cooperatively positioned within a magnetic field generated by a laboratory magnetic stirrer, each and every socket is effectively positioned for stirring with respect to the magnetic field.

10

15

20

5

Optionally the device may incorporate guide means which engage with the laboratory magnetic stirrer thereby ensuring the adapter block is correctly located within the magnetic field of the laboratory magnetic stirrer such that each and every socket designed to securely accommodate a reaction vessel is effectively positioned for stirring with respect to the magnetic field. Preferably, the guide means comprises a raised rim around a central recess.

The adapter block may be cast in any suitable form, however in a particularly preferred arrangement the adapter block is circular in shape. The adapter block may be used in co-operation with any laboratory magnetic stirrer with a suitable circular magnetic/hotplate. Preferred laboratory stirrers include the IKA RCT basic hotplate stirrers, the IKAMAG REO, the Heidolph MR3001, the Heidolph MR3002, and the Heidolph MR3000.

25

The sockets for securely accommodating the reaction vessels may be located at any position on the device in which they are effectively positioned for stirring with respect to the magnetic field. In a particularly preferred arrangement the sockets are arranged about the circumference of the adapter block.

30

Preferably the adapter block is made of chemically resistant material for example PTFE or a metal such as aluminium or stainless steel.

The adapter block may optionally be constructed from heat conducting material for example aluminium stainless steel. Thereby, when the device is used in co-

15

20

25

operation with a hotplate/magnetic stirrer heat generated by the hotplate will be efficiently transferred to the reaction vessels accommodated by the device.

Preferably the adapter block will incorporate a gas manifold. Thereby, gas flow or vacuum supply to each of the reaction vessels may be individually controlled. The gas manifold may be located anywhere on the device, however in a particularly preferred arrangement the gas manifold is located at the centre of the parallel reaction station.

The adapter block is capable of being constructed to accommodate any size laboratory reaction vessel however 16 and 24 mm o.d. test tubes are particularly preferred:

Optionally the device may incorporate a condenser unit such that the contents of the reaction vessels may be heated to reflux. The condenser unit will be assembled such that the unit is in direct contact with the reaction vessels as they project from the adapter block. Preferably the condenser unit will be constructed from a material of high specific heat capacity for example stainless steel however the unit may be water cooled.

Preferred embodiments of the invention are described in detail below, by example only, with reference to the accompanying drawings, wherein:

Figure 1 is a perspective view of the adapter block working in co-operation with a laboratory magnetic stirrer.

Figure 2 is a perspective view of the adapter block together with a condenser unit working in co-operation with a laboratory magnetic stirrer.

The device illustrated in figure 1 comprises the adapter block (1) which is constructed from PTFE and is circular in shape with sockets (2) suitable for securely accommodating the test tube reaction vessels (3) located about the circumference of the device. One face of the device is equipped with a recess whereby the stirrer plate of the magnetic stirrer (5) is secured within the recess

10

thereby ensuring that the device is effectively located for stirring within the magnetic field. A gas manifold (4) is located at the centre of the adapter block.

The device shown in fig. 2 comprises an adapter block (11) and a condenser unit (12) both of which are constructed from aluminium and are circular in shape. The adapter block comprises sockets (13) located about the circumference of the device suitable for accommodating the test tube reaction vessels (14). The condenser unit contains openings (15) through which the test tube reaction vessels pass. The adapter block and condenser unit are substantially parallel to one another. One face of the adapter block is equipped with a recess whereby the hotplate of a hotplate/magnetic stirrer (16) may be secured within the recess thereby ensuring that the adapter block is effectively located within the magnetic field. A gas manifold (17) is located at the centre of the adapter block.

In an additional embodiment of the invention the device comprises an adapter block as described hereinbefore wherein the device is permanently fixed to a laboratory magnetic stirrer.

10

15

20

25

#### CLAIMS

The application of which this description and claims forms part may be used as a basis for priority in respect of any subsequent application. The claims of such subsequent application may be directed to any feature or combination of features described herein. They may include, by way of example and without limitation, one or more of the following claims:

- 1. A device comprising an adapter block, the adapter block containing a plurality of sockets each designed to securely accommodate a reaction vessel, wherein when the adapter block is co-operatively positioned within a magnetic field generated by a laboratory magnetic stirrer each and every socket is effectively positioned for stirring with respect to the magnetic field.
- 2. A device according to claim 1 wherein the adapter block incorporates guide means to ensure that the device is effectively positioned with respect to the laboratory magnetic stirrer's magnetic field.
- 3. A device according to claim 2 wherein the adapter block is made of chemically resistant material.
- 4. A device according to claim 3 wherein the adapter block is made of heat conducting material.
- 5. A device according to claim 4 wherein the device incorporates a condenser unit.
  - 6. A device according to claim 5 wherein the adapter block is circular in shape
- 7. A device according claim 6 wherein the sockets are arranged about the circumference of the device.
  - 8. A device according to any preceding claim wherein the adapter block incorporates a gas manifold.

BEST AVAILABLE COPY

9. A magnetic hotplate magnetic stirrer securely fitted with an adapter block wherein the adapter block contains a plurality of sockets each designed to securely accommodate a reaction vessel, and wherein the adapter block is positioned within the magnetic field generated by the laboratory hotplate magnetic stirrer such that each and every socket is effectively positioned for stirring with respect to the magnetic field.




figure 1.

BEST AVAILABLE COPY

THIS PAGE BLANK (USPTO)

THIS PAGE BLANK (1987)